



787NS-A02-050

JOINT WIDTH		MOVEMENT MINIMUM		MAXIMUM		VERTICAL	
US	mm	US	mm	US	mm	US	mm
2"	50	1"	25	3 1/2	89	1"	25

FINISH: MILL			
PROJECT:	APPLICATION- NEW-TO-EXISTING AND/OR FLOOR TO FLOOR AND/OR FLOOR TO WALL CONDITIONS	DATE: 10-10-22	inpro. For More Information Visit: Inprocorp.com
CUSTOMER:		SCALE: 1:2	
LOCATION:		DOC: CADJM.247/R6	



787NS-A02-075

JOINT WIDTH		MOVEMENT MINIMUM		MAXIMUM		VERTICAL	
US	mm	US	mm	US	mm	US	mm
3"	76	1 1/2	50	4 1/2"	114	1"	25

FINISH: MILL

PROJECT:

CUSTOMER:

LOCATION:

APPLICATION-
NEW-TO-EXISTING AND/OR
FLOOR TO FLOOR AND/OR
FLOOR TO WALL CONDITIONS


DATE: 10-10-22

SCALE: 1:2

DOC: CADJM.247/R6

inpro.

For More Information Visit: Inprocorp.com



787NS-A02-100

JOINT WIDTH		MOVEMENT MINIMUM		MAXIMUM		VERTICAL	
US	mm	US	mm	US	mm	US	mm
4"	102	2"	51	5 1/2"	140	1"	25

FINISH: MILL

PROJECT:

CUSTOMER:

LOCATION:

APPLICATION-
NEW-TO-EXISTING AND/OR
FLOOR TO FLOOR AND/OR
FLOOR TO WALL CONDITIONS


DATE: 10-10-22

SCALE: 1:2

DOC: CADJM.247/R6

inpro.

For More Information Visit: Inprocorp.com



787NS-A02-125

JOINT WIDTH		MOVEMENT MINIMUM		MAXIMUM		VERTICAL	
US	mm	US	mm	US	mm	US	mm
5"	127	2 1/2	64	7 1/2"	191	1	25

FINISH: MILL

PROJECT:

CUSTOMER:

LOCATION:

APPLICATION-
NEW-TO-EXISTING AND/OR
FLOOR TO FLOOR AND/OR
FLOOR TO WALL CONDITIONS


DATE: 10-10-22

SCALE: 1:4

DOC: CADJM.247/R6

inpro.

For More Information Visit: Inprocorp.com



787NS-A02-150

JOINT WIDTH		MOVEMENT MINIMUM		MAXIMUM		VERTICAL	
US	mm	US	mm	US	mm	US	mm
6"	152	2 1/2"	64	8 1/2"	216	1	25

FINISH: MILL

PROJECT:

CUSTOMER:

LOCATION:

APPLICATION-
NEW-TO-EXISTING AND/OR
FLOOR TO FLOOR AND/OR
FLOOR TO WALL CONDITIONS


DATE: 10-10-22

SCALE: 1:4

DOC: CADJM.247/R6

inpro.

For More Information Visit: Inprocorp.com



787NS-A02-175

JOINT WIDTH		MOVEMENT MINIMUM		MOVEMENT MAXIMUM		VERTICAL	
US	mm	US	mm	US	mm	US	mm
7"	178	3 1/2	89	10 1/2"	267	1	25

FINISH: MILL

PROJECT:

CUSTOMER:

LOCATION:

APPLICATION-
NEW-TO-EXISTING AND/OR
FLOOR TO FLOOR AND/OR
FLOOR TO WALL CONDITIONS


DATE: 10-10-22

SCALE: 1:4

DOC: CADJM.247/R6

inpro.

For More Information Visit: Inprocorp.com



787NS-A02-200

JOINT WIDTH		MOVEMENT MINIMUM		MOVEMENT MAXIMUM		MOVEMENT VERTICAL	
US	mm	US	mm	US	mm	US	mm
8"	203	4"	102	12"	305	1	25

FINISH: MILL

PROJECT:

CUSTOMER:

LOCATION:

APPLICATION-
NEW-TO-EXISTING AND/OR
FLOOR TO FLOOR AND/OR
FLOOR TO WALL CONDITIONS

DATE: 10-10-22

SCALE: 1:4

DOC: CADJM.247/R6

inpro.

For More Information Visit: Inprocorp.com