

# **AlturnaMATS®**

## **THE ORIGINAL GROUND PROTECTION MATS.**



*Protect Your Turf and \$ave Thousands in Ground Restoration Costs.*

**CHECKERS®**  
INDUSTRIAL SAFETY PRODUCTS  
[www.checkersindustrial.com](http://www.checkersindustrial.com)

## AlturnaMATS®

### ALTURNAMATS® GROUND PROTECTION MATS

*The Original Ground Protection Mats Featuring Maximum Traction Diamond Plate Tread Design*

These rugged mats are made of 1/2" thick polyethylene so they are virtually indestructible. They withstand vehicles weighing up to 120 tons, bend but do not break and feature a Limited Lifetime Warranty. AlturnaMATS® have been tested in record cold and heat. AlturnaMATS® are an environmentally friendly mat as they are made from recycled plastic materials.

With AlturnaMATS®, getting stuck is virtually eliminated. They are available smooth on one side or smooth on both sides, ideal for removing dirt or gravel.

#### ALTURNAMATS® FEATURES:

- Easily supports 120 ton vehicles
- Rugged 1/2" thick polyethylene
- Bold clear design for great traction
- Build a roadway or working platform in minutes
- Leave turf smooth, even in soft conditions
- No more splintered, warped, water logged plywood
- Simply hosing down leaves the mats clean
- Available in both black or white mats
- Mats can be locked together with Turn-A-Links forming a continuous roadway
- Limited Lifetime Warranty



Diamond Plate Tread

**ALTURNAMATS® BUILT TOUGH!**



#### SIZES TO SUIT YOUR NEEDS

BLACK	WHITE	APPROX. SHIP WEIGHT
4' x 8' (1.22 x 2.44m)	4' x 8' (1.22 x 2.44m)	86.00 lb. (39.00 kg.)
3' x 8' (0.91 x 2.44m)	3' x 8' (0.91 x 2.44m)	64.50 lb. (29.25 kg.)
3' x 6' (0.91 x 1.83m)	3' x 6' (0.91 x 1.83m)	51.00 lb. (23.13 kg.)
2' x 8' (0.61 x 2.44m)	2' x 8' (0.61 x 2.44m)	43.00 lb. (19.50 kg.)
2' x 6' (0.61 x 1.83m)	2' x 6' (0.61 x 1.83m)	32.25 lb. (14.62 kg.)
2' x 4' (0.61 x 1.22m)	2' x 4' (0.61 x 1.22m)	21.50 lb. (9.75 kg.)



LANDSCAPING



TREE CARE



CONSTRUCTION



CONCRETE



SNOW



# VersaMATS®

## VERSAMATS® GROUND PROTECTION MATS

*Featuring an Exclusive Slip-Resistant Tread Design*

VersaMATS® literally are the most versatile ground protection mats in the industry. The flat, slip-resistant tread permits pedestrians to walk safely on the mats, yet they are as rugged as the original AlturnaMATS®. The reverse side has the same diamond plate tread as AlturnaMATS®, providing great traction for vehicles.

VersaMATS® are also available in white, making them ideal for safe use as long walkways even in darkened conditions. They are also available smooth on one side.



### ALTURNAMATS® FEATURES:

- Leaves turf smooth even in soft soil conditions
- Tough 1/2" thick polyethylene
- Two practical cleat designs... for walking and vehicle traffic
- Withstand 120-ton loads
- Build temporary roadway or walkway in minutes
- Lock together with Turn-A-Links
- Limited Lifetime Warranty



**EASY TO WALK ON  
SAFE TO WORK ON  
GREAT TO DRIVE ON**



### SIZES TO SUIT YOUR NEEDS

BLACK	WHITE	APPROX. SHIP WEIGHT
4' x 8' (1.22 x 2.44m)	4' x 8' (1.22 x 2.44m)	86.00 lb. (39.00 kg.)
3' x 8' (0.91 x 2.44m)	3' x 8' (0.91 x 2.44m)	64.50 lb. (29.25 kg.)
2' x 8' (0.61 x 2.44m)	2' x 8' (0.61 x 2.44m)	43.00 lb. (19.50 kg.)



Front Side Tread



Reverse Side Tread



**SNOW/SLUSH**



**UTILITIES**



**GOLF COURSES**



**CEMETERIES**



**DRILLING**

## SAFETY TECH PADS ONE PIECE PLASTIC OUTRIGGER PADS

*Delivering the safety, quality and performance you expect from the industry leader.*


### SAFETY TECH PADS FEATURES:

- Reliable Load Distribution
- Lightweight
- Safety Texturing
- Memory Recovery
- Lifetime Guarantee



### STANDARD PADS

MODEL	LOAD VERTICAL	45° ANGLE	WIDTH	LENGTH	HEIGHT	WEIGHT	SQUARE INCH
PAD15151	45,000 lb. (KG20,412)	20,000 lb. (KG9,072)	15 in. (C38.1)	15 in. (C38.1)	1 in. (C2.54)	7.5 lb. (KG3.40)	225 (CT1,451.70)
PAD18181	55,000 lb. (KG24,948)	30,000 lb. (KG13,608)	18 in. (C45.72)	18 in. (C45.72)	1 in. (C2.54)	11 lb. (KG4.99)	324 (CT2,090.45)
PAD24241	60,000 lb. (KG27,216)	35,000 lb. (KG15,876)	24 in. (C60.96)	24 in. (C60.96)	1 in. (C2.54)	20 lb. (KG9.07)	576 (CT3,761.35)
PAD24242	62,000 lb. (KG28,123)	40,000 lb. (KG18,144)	24 in. (C60.96)	24 in. (C60.96)	2 in. (C5.08)	38 lb. (KG17.24)	576 (CT3,761.35)
PAD30301	81,000 lb. (KG36,741)	41,000 lb. (KG18,597.6)	30 in. (C76.2)	30 in. (C76.2)	1 in. (C2.54)	31 lb. (KG14.06)	900 (CT5,806.8)
PAD36361	93,000 lb. (KG42,184.8)	43,000 lb. (KG19,504.8)	36 in. (C91.44)	36 in. (C91.44)	1 in. (C2.54)	45 lb. (KG20.41)	1296 (CT8,361.79)
PAD48481	135,000 lb. (KG61,236)	52,000 lb. (KG23,587.2)	48 in. (C121.92)	48 in. (C121.92)	1 in. (C2.54)	80 lb. (KG36.29)	2304 (CT14,865.4)
PAD30302	85,000 lb. (KG38,556)	43,000 lb. (KG19,504.8)	30 in. (C76.2)	30 in. (C76.2)	2 in. (C5.08)	62 lb. (KG28.12)	900 (CT5,806.8)
PAD36362	98,000 lb. (KG44,252.8)	45,000 lb. (KG20,412)	36 in. (C91.44)	36 in. (C91.44)	2 in. (C5.08)	90 lb. (KG40.83)	1296 (CT8,361.79)
PAD48482	140,000 lb. (KG63,504)	55,000 lb. (KG24,948)	48 in. (C121.92)	48 in. (C121.92)	2 in. (C5.08)	160.0 lb. (KG72.58)	2304 (CT14,865.4)



Safety Texture

\*8"x10" Outrigger Leg applied under two separate conditions: 10,000# vertically and 10,000# with a 45 degree angle.

\*\*Rope Handle located on width side of all pads. Pads 900 sq.in. or larger have two or more handles or more handles opposite each other.

\*\*\*Custom size pads available. Requires a minimum order. Lead time for non-stock items is 30-45 days.\*\*\*

KEY: C - Centimeters; KG = Kilograms; CT = Square Centimeters



MANF. HOUSING



REC AREAS/EVENTS



TRENCHING



SEPTIC PUMPING



## AltunaMATS® & VersaMATS®

*AltunaMATS® & VersaMATS® each leave turf smooth, even under heavy vehicle traffic. No costly turf repair bills and you'll Never Get Stuck Again.*

### ADVANTAGES:

- AltunaMATS: Featuring a bold diamond plate tread for maximum traction.
- VersaMATS: Featuring a flat, slip-resistant tread on one side designed for pedestrian traffic, and the bold diamond plate tread on the other side for vehicle traffic.
- Limited Lifetime Warranty

These mats virtually eliminate damage to lawns and landscaped areas throughout the world... from North America, Asia, Australia, Europe, to even Antarctica. These rugged mats are the popular choice among professionals. They are easy to use. Lock into place to form a continuous, solid roadway or work platform and they last for years. They are unequalled for quality and performance under the most hazardous conditions.

Each mat can be used in a broad variety of applications such as construction, golf courses, utilities, landscaping, tree care, cemeteries, drilling, sewage...wherever saving the costs of ground restoration is a factor. And they are great to save heavy vehicles from getting stuck in mud.

AltunaMATS and VersaMATS provide locking links designed of steel to fit into holes on each end of the mats, locking them end-to-end to create a continuous roadway, or you can easily create a large platform for working vehicles.

**EASY TO WALK ON... SAFE TO WORK ON...  
GREAT TO DRIVE ON PLUS...  
PERFECT FOR STORING MATERIALS  
ON WORK SITE AND OUT OF THE MUD**



### DON'T GET STUCK IN A RUT!

Now there is no reason to create ruts such as shows here after a stumpster traversed this front lawn. The owner had the ruts repaired at a cost of \$1,800 and needless to say, never used the tree removal company again.



## ALTURNAMATS® ACCESSORIES

### TURN-A-LINKS

Steel links lock mats together to form a semi-permanent, yet portable, continuous roadway, walkway or working platform. The same steel material, but with a galvanized coating: easier to locate & harder to rust.



Single Turn-a-Link



Double Turn-a-Link



Galvanized Turn-A-Link: Single or Double




### EZ-LINK SYSTEM

E-Z Links are a quick & convenient linking system for the AlturnaMATS® VersaMATS®. The links are available in single or double, & are suitable for pedestrian applications as well as movement of light, compact equipment (Less than 12,000 GVW) when on stable ground conditions.



Single E-Z Link




DESCRIPTION	ITEM NUMBER	SHIP WEIGHT
SINGLE ROUND LINK	RTL-S-G	8 oz.
DOUBLE ROUND LINK	RTL-D-G	20 oz.
SINGLE FLAT LINK	FTL-SG	8 oz.
DOUBLE FLAT LINK	FTL-DG	20 oz.
SINGLE EZ LINKS	EZL-S	4 oz.
DOUBLE EZ LINKS	EZL-D	6 oz.

### MAT-PAK

This complete package is the handy way to transport and store your AlturnaMATS®.

Pak Consists of:

- 12 Mats (4' x 8' or 3' x 8')
- 1 Metal storage, skid rack
- 20 Single Turn-A-Links
- 2 Handi-Hooks
- 2 Ratchet Straps



MAT-PAK DIAMOND PLATE	ITEM NO.	WEIGHT
Black - 4' x 8' Package	AMCP4	1126 lbs.
Black - 3' x 8' Package	AMCP3	868 lbs.
White - 4' x 8' Package	WMCP4	1126 lbs.
White - 3' x 8' Package	WMCP3	868 lbs.
MAT-PAK VERSAMATS®	ITEM NO.	WEIGHT
Black - 4' x 8' Package	VMCP4	1126 lbs.
Black - 3' x 8' Package	VMCP3	868 lbs.
White - 4' x 8' Package	WVCP4	1126 lbs.
White - 3' x 8' Package	WVCP3	868 lbs.

### HANDI-HOOKS

AlturnaMATS® Handi-Hooks make moving mats easier, even in wet areas. Made of steel rod, painted white.

LENGTH	WEIGHT
3' (91.44cm)	2.5 lbs. (1.13kg)

