

Test Report

No.SDHL2010027971OT

Date: Nov 03, 2020

Page 1 of 5

HUI ZHENG CLOTH WORKMANSHIP CO., LTD 102, NO.24 ROW 6, AREA C, ASIA INTERNATIONAL MATERIALS TRADING CENTRE, 2 OF NO.102, LONGJIANG PART OF 325 NATIONAL AVENUE, LONGJIANG COMMUNITY, LONGJIANG TOWN, SHUNDE DISTRICT, FOSHAN CITY, CHINA

Sample Description	: FABRIC
Item No.	: XY-A2; L.E.V

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

SGS Ref No.	: CAN20-186880
Sample Receiving Date	: Oct 23, 2020
Test Performing Date	: Oct 27, 2020 to Nov 02, 2020
Test Performed	: Selected test(s) as requested by applicant

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments		
	California Proposition 65 - Lead (Pb) & Cadmium (Cd)	PASS	/		
	Flame Retardant(s) (TDCPP, TCEP, TDBPP/TRIS)	See Results	/		
1	California Proposition 65 - Phthalates(DBP, BBP, DEHP, DINP,	DACC	,		
	DNOP, DIDP, DHEXP/DnHP, DIBP, DCHP, DPENP/DnPP)	PASS	/		
For fu	For further details, please refer to the following page(s)				

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

Kitty Kang Authorized Signatory





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.asgs and, for electronic format documents, subject is Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-Encourset.ascs</u>. Attention is drawn to the limitation of lability, indemnification and jurisdicion issues defined themein. Any holds of this document is adviced that information contained tereor reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if erry. The Company's sole responsibility is to its Client and this document does not accesseling aprints to a transaction from coversists all their rights and obligations under the transaction document is document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullesi externed of the laws. Unless otherwise stated the results aboven in this attrapport refer only to its earning (astrased and auch asmple) are related for 30 days only. Attention:To check the authenticity of testing / inspection report & cartificate, please contact us at telephone:(86-755) 8367

ドパー指述機(Expendedate)でありました。 中国・广京・後山古智道区大会先能力単独工分類や成長に使用したのでは、加速の中国には、1000-757)22805868 f (360-757)22805868 www.agsgroup.com.on 中国・广京・後山古智道区大会先能力単独工分類和素型1号使用工业型一号厂会会目標に、28333 t (360-757)22805868 f (360-757)22805868 e sgs.china@sgs.com



Test Report

No.SDHL2010027971OT

Date: Nov 03, 2020

Page 2 of 5

Test Results :

Test Part Description :

SGS Sample ID	Description
CAN20-186880.001	Multicolor fabric
CAN20-186880.002	Dark gray/white fabric

Remarks :

(1) 1 mg/kg = 0.0001%
(2) MDL = Method Detection Limit
(3) ND = Not Detected (< MDL)
(4) "-" = Not Regulated

CA65-Lead (Pb) & Cadmium (Cd)

Test Method : With reference to CPSC-CH-E1002-08.3. Analysis was performed by ICP-OES.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	MDL	<u>001</u>	<u>002</u>
Lead (Pb)	100	mg/kg	20	ND	ND
Cadmium (Cd)	300	mg/kg	5	ND	ND

Notes :

(1) The limit is referenced to the requirement as stated in the County of San Francisco Superior Court, Case No. CGC-09-489839/CGC-08-476552/CGC-11-508435/CGC-01-319336/CGC-10-505118/County of Santa Clara Case No 110 CV 172362/the Superior Court of the State of California Case No CIV 1003366/County of Alameda Superior Court, RG 10-530436/10-530300/RG-07-356892/RG-10-514803/County of Contra Costa Case No. CGC-09-485784/County of Marin Case No. CIV-10-00626/ Senate Bill No. 929 and Public Law (Consumer Product Safety Improvement Act of 2008, CPSIA).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/ars/ferms-and-Conditions.asps and, for electronic format document is subject to Teams and Conditions for Electronic Documents at <u>http://www.sps.com/ars/ferms-and-Conditions.asps</u> and, for electronic format document is advised that information contained herean reflects the Company's Endings at the time of its intervention only and within the limits of Client's instructions. If any, the Company's biological based and accessing a contained the time of the time only and within the limits of Client's instructions. If any, the Company's sole responsibility is to its Glient and this document does not exceeding particles to a consection from exactiliang all their rights and obligations under the transaction document is exceeding of the context or appearance of this document is unlawful and offenders may be prosecuted to the fullest extert of 30 days only. Attention is the authenticity of the sample(a) based and such sample(a) are retained for 30 days only. Attention: To check the authenticity of the retain of the cortext or sate thesphore: (Be-755) 8307



Test Report

No.SDHL2010027971OT

Date: Nov 03, 2020

Flame retardant(s)

Test Method : SGS In-house method (GZTC CHEM-TOP-149-04, With reference to EPA 3550C:2007), analysis was performed by GC-MS and HPLC-DAD/MS.

Test Item(s) Tris(1,3-dichloro-2-propyl) Phosphate(TDCPP)	CAS NO. 13674-87-8	<u>Unit</u> mg/kg	<u>MDL</u> 5	001 ND
Tris(2-chloroethyl) Phosphate(TCEP)	115-96-8	mg/kg	5	ND
Tris-(2,3-dibromopropyl) Phosphate (Tris/TDBPP)	126-72-7	mg/kg	5	ND
Test Item(s)	CAS NO.	Unit	MDL	002
Tris(1,3-dichloro-2-propyl) Phosphate(TDCPP)	13674-87-8	maka	5	ND
ma(1,3-dicholo-2-propyr) mosphate(10011)	130/4-0/-0	mg/kg	5	
Tris(2-chloroethyl) Phosphate(TCEP)	115-96-8	mg/kg	5	ND

CA65- Phthalates

Test Method : With reference to CPSC-CH-C1001-09.4, analysis was performed by GC-MS

Test Item(s)	CAS NO.	Limit	Unit	MDL	001
Dibutyl Phthalate (DBP)	84-74-2	0.1	%(w/w)	0.005	ND
Benzylbutyl Phthalate (BBP)	85-68-7	0.1	%(w/w)	0.005	ND
Di(2-ethylhexyl)phthalate(DEHP)	117-81-7	0.1	%(w/w)	0.005	ND
Diisononyl Phthalate (DINP)	28553-12-0 /	0.1	%(w/w)	0.005	ND
	68515-48-0				
Di-n-octyl Phthalate (DNOP)	117-84-0	0.1	%(w/w)	0.005	ND
Diisodecyl Phthalate (DIDP)	26761-40-0 /	0.1	%(w/w)	0.005	ND
	68515-49-1				
Dihexyl Phthalates (DHEXP/ DnHP)	84-75-3	0.1	%(w/w)	0.005	ND
Diisobutyl Phthalate (DIBP)	84-69-5	0.1	%(w/w)	0.005	ND
Dicyclohexyl Phthalate (DCHP)	84-61-7	0.1	%(w/w)	0.005	ND
Dipentyl Phthalates (DPENP/DnPP)	131-18-0	0.1	%(w/w)	0.005	ND
Test Item(s)	CAS NO.	<u>Limit</u>	Unit	MDL	002
Dibutyl Phthalate (DBP)	84-74-2	0.1	%(w/w)	0.005	ND
Benzylbutyl Phthalate (BBP)	85-68-7	0.1	%(w/w)	0.005	ND
Di(2-ethylhexyl)phthalate(DEHP)	117-81-7	0.1	%(w/w)	0.005	ND
Diisononyl Phthalate (DINP)	28553-12-0 /	0.1	%(w/w)	0.005	ND
	68515-48-0				
Di-n-octyl Phthalate (DNOP)	117-84-0	0.1	%(w/w)	0.005	ND
Diisodecyl Phthalate (DIDP)	26761-40-0 /	0.1	%(w/w)	0.005	ND



Usiass otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.spc.com/en/Terms-and-Conditions.aspc and, for electronic format documents, subject is Terms and Conditions for Electronic Documents at <u>http://www.spc.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-And-Condition</u>

「方」¹hidle_EnguerMate/Pet/Art/Art/BankSate/DengTer/BankSate/Deng DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/Ba DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/BankSate/DengTer/Bank



Test Report	No.SDHL2010027971OT	Date:	Nov 03, 20	20	Page 4 o	of 5
	68515-49-1					
Dihexyl Phthalates (DHEXP/ DnHP) 84-75-3	0.1	%(w/w)	0.005	ND	
Diisobutyl Phthalate (DIBP)	84-69-5	0.1	%(w/w)	0.005	ND	
Dicyclohexyl Phthalate (DCHP)	84-61-7	0.1	%(w/w)	0.005	ND	
Dipentyl Phthalates (DPENP/DnPP) 131-18-0	0.1	%(w/w)	0.005	ND	

Notes :

(1) The limit of DBP, BBP, DEHP, DIDP and DnHP is referenced to the requirement stated in Alameda Superior Court, BG-07-350969. The limit for DINP is reference to the requirement as stated in County of Santa Clara Superior Court, 114CV267501, The limit for DIBP is reference to the requirement as stated in County of Marin Case No. CIV 1602737, The limit for DNOP is reference to the requirement as stated in County of Santa Clara Case No. 113CV242946, The limit of DCHP, DPENP is referenced to the 16 CFR 1307.

Photo Appendix:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.asgs and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condition</u>

「だ」¹ hidte Enverhiete Perket Network (199-757)22805858 1 (98-757)22805858 1 (98-757)22805858 www.sgsgroup.com.on 中国・广京・後山古田建立大会発展力場を主が振荡意見1号使用工业第一号厂会演集 製紙: 52833 1 (96-757)22805868 1 (96-757)22805868 0 sps.china@sps.com





Remark: This test was subcontracted to SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch.

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overfeaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.asgs and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condition</u>

予/TablegEmperieldate/Tel/ki:SeansCathFace/Merieldate/LaingTave/LaughonyDim 528333 t (86-757)22805868 f (86-757)22805868 www.sgsgroup.com.on 中国・广京・街山古都道区大会所並為場を王が御朱素臣1号使用工业版一句厂房造匠 総論: 538333 t (86-757)22805868 f (86-757)22805868 e sgs.china@sgs.com